

EAST

L Number	Hits	Search Text	DB	Time stamp
-	104	client same display adj service	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 13:10
-	52	(client same display adj service) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 13:07
-	16	client same display adj service and xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 13:07
-	7	(client same display adj service and xml) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 13:10
-	44	client same display adj service same (request or specified)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 13:10
-	18	(client same display adj service same (request or specified)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:37
-	1	kiosk same docking same portable same display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 13:14
-	70	client with request same (server or service) same behalf same (display or function) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 13:56
-	0	client with request same alternate adj display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 13:57
-	8	client same alternate adj display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 13:58
-	183	client same local adj display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 14:00
-	13	client with request same local adj display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 13:58

-	35	(client same local adj display) and (client near4 capabilit\$4) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 14:01
-	125	client same display same capab\$7 same (communicat\$3 or access\$3) same service and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:45
-	23	client same display with capab\$7 same (communicat\$3 or access\$3) same service and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:52
-	113	xml with display and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:53
-	28	xml same display with (access\$3 or capabilities or properties) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 17:01
-	40	xml near2 messag\$3 and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:58
-	5	xml near2 messag\$3 same display and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 16:58
-	28	message same display with access\$3 with (capabilities or properties) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 17:01
-	0	(service with defined with markup same xml) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 18:10
-	17	service with defined with markup same xml	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 18:13
-	12	service with defined same xml and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/10 18:13
-	530	(client with display with specif\$4) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:38
-	174	(client near5 display near5 specif\$4) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:39

-	56	(client with display with specif\$4) same service and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:38
-	14	(client near5 display near5 specif\$4) same service and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:44
-	13	(client near5 specif\$4 near5 display) same service and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:53
-	43	((client with display with specif\$4) same service and @ad<20000509) not ((client near5 specif\$4 near5 display) same service and @ad<20000509)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:45
-	0	(client near5 (assign or designat\$2) near5 display) same service and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 12:54
-	57	(client near5 (assign or designat\$2) near5 display) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:24
-	0	(client with (assign or designat\$2) with alternate adj display) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:10
-	0	(client same (assign or designat\$2) same alternate adj display) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:19
-	255	(client same network same (assign\$2 or designat\$2 or specif\$3) with display) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:10
-	117	(client same (assign\$2) with display) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:21
-	62	(client same network same (designat\$2) with display) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:21
-	23	(client same network same (designat\$2) near3 display) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:21
-	8	(client near5 (specif\$3 or assign or designat\$2) near5 (output or results or content) near5 sent) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:56

-	10	(client near5 (specif\$3 or assign or designat\$2) near5 (output or results or content) near5 (route\$1 or sent)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:50
-	143	(client same (specif\$3 or assign or designat\$2) same (output or results or content) near5 (route\$1 or sent)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 14:08
-	25	(client with (specif\$3 or assign or designat\$2) with (output or results or content) near5 (route\$1 or sent)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:52
-	5	(client same (specif\$3 or assign or designat\$2) same (output or results or content) near5 (route\$1 or sent) with (different or alternate)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:53
-	663	(results! or content) with destination near3 (specif\$3 or assign\$2 or designat\$2) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:55
-	3	load adj balancing same (results! or content) with destination near3 (specif\$3 or assign\$2 or designat\$2) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:55
-	11	(client near5 (specif\$3 or assign or designat\$2) near5 (results or content) near5 (return\$2 or sent)) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 13:56
-	8	designation adj5 different adj5 (source or client) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:13
-	160	destination adj5 different adj5 (source or client) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:13
-	9	request same destination adj5 different adj5 (source or client) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:14
-	167	request same destination with different with (origin or originated source or client) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:15
-	45	request same destination near2 different with (origin or originated source or client) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:17
-	94	results same destination near2 different with (origin or originated source or client) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:17

-	1	client same request same (reply or response) same (different adj destination) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:40
-	131	server same (reply or response or returns or results) same (destination near2 request) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:46
-	157	(results) with (sent or transmit\$4) with (address or destination) with display and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 14:49
-	0	(client adj2 (designates or assigns) adj3 display) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:21
-	2	(client adj4 (designates or assigns) adj3 display) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:22
-	6	(client adj4 (designates or assigns) adj6 output) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:23
-	6	(client adj4 (designates or assigns) adj6 printer) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:23
-	11	6216158.URPN.	USPAT	2003/12/11 15:31
-	186	user with specif\$3 with service with display and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:34
-	55	user adj3 specif\$3 with service with display and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:35
-	616	user adj3 specif\$3 adj4 display and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:35
-	40	user adj3 specif\$3 adj4 display with (output or results) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:38
-	49	user adj3 specif\$3 adj7 (configuration or specification or advertisement) with (output or results) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 15:40

-	7	(client or user) same broker same service same display same (results or content or output) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:07
-	2	(client or user) same designate same service same output adj device same (results or content) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:07
-	0	(client or user) same specifies same service same output adj device same (results or content) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:08
-	2	(client or user) same specified same service same output adj device same (results or content) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:10
-	41	(send or sent) near2 results with device with (designated or specified) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 16:52
-	0	shared adj output adj (devices or terminals) same (client or user) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 17:13
-	19	distributed same xml with (messag\$3 or communicat\$7) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 12:10
-	207	xml with (messag\$3 or communicat\$7) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 12:10
-	84	xml with data with (messag\$3 or communicat\$7) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 12:19
-	13	schema same xml with (messag\$3 or communicat\$7) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 13:26
-	13	schema same xml same (messag\$3 or communicat\$7) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/12 13:26
-	1	communicating with (meta\$I data or xml) with messages and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 16:03
-	0	communicating near2 "via" near3 (meta\$I data or xml) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 16:08

-	76	xml adj based adj protocol	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 16:08
-	1	xml adj based adj protocol and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 16:13
-	5	xml adj based same message and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/15 16:13
-	10	xml and service same ubiquitous and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 13:49
-	209	xml and service same location and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 13:49
-	22	xml and service same location same (advertisement or description) and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 13:52
-	55	xml and service same location same display and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 14:07
-	87	xml and service same (specif\$3 or assign or designat\$2) same display and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 14:08
-	30	xml and service same (specif\$3 or assign or designat\$2) with display and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 15:07
-	38	xml and display adj service and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 15:10
-	2	location near3 based same display adj service and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 15:10
-	58	location near3 based and display adj service and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 15:16
-	0	ubiquitous adj computing and display adj service and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 15:16

-	34	ubiquitous and display adj service and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 15:20
-	1	jini and display adj service and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 15:20
-	6	network adj devices same control and display adj service and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/29 15:20
-	23	resource adj discovery same network and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 10:25
-	2	service adj discovery same network and xml and @ad<20000509	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/30 10:25